



## Guard Dog Pet Door

With simplicity in mind for the pet, the homeowner, and the door fabricator, this one-of-a-kind product was designed for easy pet access, simplified security, and standardized door lite style installation.

**PROTECTION** from weather and atmospheric conditions (wind, rain, & severe weather)

**SECURITY** against forced entry featuring a unique locking system and reinforced panel

**SIMPLICITY** with easy and precise installation using a rectangular cutout and interior and exterior frame (Installs like a door lite insert)

**ENERGY EFFICIENCY** using a sealed and insulated security panel and pet flap with a magnetic air seal





# The Pet Door for the Door Fabricator

Expand your door line options and increase your market share and profits with a new value added product, the Guard Dog Pet Door.

**VALUE ADDED PRODUCT** that works in standard door systems along with doorlites and other components to turn products into pre-hungs.


**THE MARKET** for pet doors is on the rise. With the pet industry growing every year, the Guard Dog Pet Door is poised to help door fabricators increase their potential by offering the first code compliant pet door designed to be integrated into a pre-hung door system.

**INVENTED FOR THE PRE-HANGER,** the guard dog pet door is designed for simple and consistent installation using an interior and exterior frame system that installs just like a doorlite in a rectangular cutout.

## FLORIDA BUILDING CODE COMPLIANCE

FL Approval Number	Door Height	Door Type	Configuration	Swing	MAX Frame Dimensions	Design Pressure (PSF) Inswing		Design Pressure (PSF) Outswing	
40116.3	6/8	Opaque Fiberglass	Single	IS/OS	37.5" x 82"	+65	-70	+65	-65
40116.4	6/8	Glazed Fiberglass	Single	IS/OS	37.5" x 82"	+45	-50	+45	-45
40116.5	8/0	Opaque Fiberglass	Single	IS/OS	37.5" x 98"	+60	-65	+60	-60
40116.6	8/0	Glazed Fiberglass	Single	IS/OS	37.5" x 98"	+40	-45	+40	-40

PATENT PENDING



**REINFORCED LOCKING PANEL** seals against a door stop with weather gaskets.



**TWO PIECE FRAME** comes ready for easy installation. The exterior trim comes with pre-adhered flush weather stripping to eliminate the need for caulking.




**READY TO INSTALL** with the interior trim countersunk and prepped for screws and screw hole covers. Hardware is included.

## LARGE PET DOOR SPECIFICATIONS

- Made to fit in a flush or 2 panel door  
Actual: 12 3/4" x 18 1/8"  
Cutout: 13" x 18 3/8"
- Lexan pet flap 10-1/4" W x 15-3/4"H
- Installation height: 6" - 12" from the bottom of the door
- Use for up to a 100lb dog

## MEDIUM PET DOOR SPECIFICATIONS

- Made to fit in a flush or 2 panel door  
Actual: 9" x 14 5/16"  
Cutout: 9 1/4" x 14 9/16"
- Lexan pet flap 6-5/8" x 11-1/4"
- Installation height: 4" - 8" from the bottom of the door
- Use for up to a 35lb dog





# The Pet Door for the Homeowner

The Guard Dog Pet Door provides easy pet access while ensuring peace of mind for the homeowner.

**SIMPLE** The security panel turns easily on a lift-off hinge and fastens with a single turn of the lock to limit pet access and protect the home.

**SECURE** The hinged and reinforced locking panel locks from the inside of the home to keep intruders out.

**SUSTAINABLE** Made partly from recycled materials, the Guard Dog Pet Door uses a polyurethane foam insulated security panel, an insulated tri-panel pet flap, and weather seals on both to keep the air in and the elements out.

**SYNERGISTIC** Meeting structural building codes and meeting a desirable form and function, the Guard Dog Pet Door comes pre-installed from the factory.



## Compromise with your pet without compromising your home

### LOCKING SECURITY PANEL



Hand turn lock with a hardened steel throw is simple and easy to operate.



The guard dog security panel operates on two lift-off hinges and can be easily removed when the door is unlocked and open but are strong and resilient when locked closed. For use in doors smaller than 3' wide and for homeowners who keep the dog door open most of the time.

### MODERN DESIGN with clean lines and a flush profile, for utility with a residential look.



INTERIOR



EXTERIOR


Supplied with screw hole covers



Metal security plate concealed with flush profile PVC



### PET FLAP



The lightweight and durable Air Seal pet flap consists of three jointed Lexan polycarbonate panels, suspended on a reinforced metal hanging rod. Each panel is insulated, and surrounded with sweeps and magnetic weather stripping.



The **GUARD DOG PET DOOR** comes fully assembled for easy installation!



INTERIOR



EXTERIOR

**PVC manufacturers void all warranty if not painted with PVC grade paint that has a Light Reflective Value of 55 or higher**



MANUFACTURED BY

**PRO-KAY**  
SPECIALTY BUILDING PRODUCTS

SALES AND MARKETING BY

**R**  
**RANGER**  
REP GROUP™

321-506-2816  
MGodwin@RangerRepGroup.com  
11962 County Road 101, Suite 302 #4  
The Villages, FL 32162

PATENT PENDING